

**Selected Articles on the Analysis of Drugs of Abuse in Seized Materials
(July-Dec 2019)**

Single-calibrant quantification of seized synthetic opioids by liquid chromatography-chemiluminescence nitrogen detection, I. Rasanen; M. Kyber; I. Szilvay; J. Rintatalo; I. Ojanperä, *Forensic Science International*, **2019**, 305, 110001. <https://doi.org/10.1016/j.forsciint.2019.110001>

Determination of ocfentanil and W-18 in a suspicious heroin-like powder in Belgium, M. Degreef; P. Blanckaert; E.M. Berry; A.L.N. van Nuijs; K.E. Maudens, *Forensic Toxicology*, **2019**, 37, 474-479. <https://doi.org/10.1007/s11419-019-00480-3>

New-generation azaindole-adamantyl-derived synthetic cannabinoids, M. Longworth; T.A. Reekie; K. Blakey; R. Boyd; M. Connor; M. Kassiou, *Forensic Toxicology*, **2019**, 37, 350-365. <https://doi.org/10.1007/s11419-019-00466-1>

Surface - enhanced Raman spectroscopy, Raman, and density functional theoretical analyses of fentanyl and six analogs, *Journal of Raman Spectroscopy*, L. Wang; C. Deriu; W. Wu; A.M. Mebel; B. McCord, **2019**, 50, 1405-1415. <https://doi.org/10.1002/jrs.5656>

Chemical profiling of the synthetic cannabinoid MDMB-CHMICA: Identification, assessment, and stability study of synthesis-related impurities in seized and synthesized samples, S. Münster-Müller; S. Hansen; T. Opatz; R. Zimmermann; M. Pütz, *Drug Testing and Analysis*, **2019**, 11, 1192-1206. <https://doi.org/10.1002/dta.2652>

Types of synthetic cannabinoids seized from illicit trafficking in the territory of the Siberian Federal District (Russia) between 2009–2018, A.V. Oberenko; S.V. Kachin; S.A. Sagalakov, *Forensic Science International*, **2019**, 302, 109902. <https://doi.org/10.1016/j.forsciint.2019.109902>

Identification of synthetic cannabinoids that were seized, consumed, or associated with deaths in Kuwait in 2018 using GC–MS and LC–MS/MS analysis, A. Al-Matrouk; M. Alqallaf; A. AlShemmeri; H. BoJbarah, *Forensic Science International*, **2019**, 303, 109960. <https://doi.org/10.1016/j.forsciint.2019.109960>

4F-MDMB-BINACA: A New Synthetic Cannabinoid Widely Implicated in Forensic Casework, A.J. Krotulski; A.L.A. Mohr; S.L. Kacinko; M.F. Fogarty; S.A. Shuda; F.X. Diamond; W.A. Kinney; M.J. Menendez; B.K. Logan, *Journal of Forensic Science*, **2019**, 64, 1451-1461. <https://doi.org/10.1111/1556-4029.14101>

UHPLC–MS/MS quantitation of porphyroxine in opium and application of porphyroxine-acetylated products as signature markers for heroin, L. Li; S. Panicker; E.M. Casale, *Drug Testing and Analysis*, **2019**, 11, 999-1008. <https://doi.org/10.1002/dta.2581>

Variability in content and dissolution profiles of MDMA tablets collected in the UK between 2001 and 2018 – A potential risk to users?, L. Couchman; A. Frinculescu; C. Sobreira; T. Shine; J. Ramsey; M. Hecht; K. Kipper; D. Holt; A. Johnston, *Drug Testing and Analysis*, **2019**, 11, 1172-1182. <https://doi.org/10.1002/dta.2605>

Return of the lysergamides. Part V: Analytical and behavioural characterization of 1-butanoyl-d-lysergic acid diethylamide (1B-LSD), S.D. Brandt; P.V. Kavanagh; F. Westphal; A. Stratford; S.P. Elliott; G. Dowling; J. Wallach; A.L. Halberstadt, *Drug Testing and Analysis*, **2019**, 11, 1122-1133. <https://doi.org/10.1002/dta.2613>

**Selected Articles on the Analysis of Drugs of Abuse in Biological Specimens
(July-Dec 2019)**

LC-QTOF-MS Identification of Major Urinary Cyclopropylfentanyl Metabolites Using Synthesized Standards, S. Vikingsson; T. Rautio; J. Wallgren; A. Åstrand; S. Watanabe; J. Dahlén; A. Wohlfarth; P. Konradsson; X. Wu; R. Kronstrand; H. Gréen, *Journal of Analytical Toxicology*, **2019**, 43, 607-614. <https://doi.org/10.1093/jat/bkz057>

Unique Structural/Stereo-Isomer and Isobar Analysis of Novel Fentanyl Analogues in Postmortem and DUID Whole Blood by UHPLC–MS-MS, S. Sofalvi; E.S. Lavins; I.T. Brooker; C.K. Kaspar; J. Kucmanic; C.D. Mazzola; C.L. Mitchell-Mata; C.L. Clyde; R.N. Rico; L.G. Apollonio; C. Goggin; B. Marshall; D. Moore; T.P. Gilson, *Journal of Analytical Toxicology*, **2019**, 43, 673-687. <https://doi.org/10.1093/jat/bkz056>

Quantification of U-47700 and its metabolites: *N*-desmethyl-U-47700 and *N,N*-didesmethyl-U-47700 in 12 autopsy blood samples employing SPE/LC–ESI-MS-MS, S. Rojek; A. Romańczuk; K. Kula; K. Synowiec; M. Kłys, *Forensic Toxicology*, **2019**, 37, 339-349. <https://doi.org/10.1007/s11419-019-00464-3>

Validation of an LC-MS/MS Method for the Quantification of 13 Designer Benzodiazepines in Blood, V. Mei; M. Concheiro; J. Pardi; G. Cooper, *Journal of Analytical Toxicology*, **2019**, 43, 688-695. <https://doi.org/10.1093/jat/bkz063>

Determination of benzodiazepines in blood and in dried blood spots collected from post-mortem samples and evaluation of the stability over a three-month period, M. Moretti; F. Freni; I. Tomaciello; C. Vignali; A. Groppi; S.D. Visonà; L. Tajana; A.M.M. Osculati; L. Morini, *Drug Testing and Analysis*, **2019**, 11, 1403-1411. <https://doi.org/10.1002/dta.2653>

Liquid chromatography–tandem mass spectrometry screening method using information-dependent acquisition of enhanced product ion mass spectra for synthetic cannabinoids including metabolites in urine, S.N. Staeheli; V.P. Veloso; M. Bovens; C. Bissig; T. Kraemer; M. Poetzsch, *Drug Testing and Analysis*, **2019**, 11, 1369-1376. <https://doi.org/10.1002/dta.2664>

Tentative identification of the metabolites of (1-(cyclohexylmethyl)-1H-indol-3-yl)-(2,2,3,3-tetramethylcyclopropyl)methanone, and the product of its thermal degradation, by in vitro and in vivo methods, A. Grigoryev; P. Kavanagh; A. Labutin; A. Pechnikov; G. Dowling; V. Shevyrin; N. Krupina, *Drug Testing and Analysis*, **2019**, 11, 1387-1402. <https://doi.org/10.1002/dta.2668>

Detection of the recently emerged synthetic cannabinoid 4F-MDMB-BINACA in “legal high” products and human urine specimens, B. Haschimi; L. Mogler; S. Halter; A. Giorgetti; B. Schwarze; F. Westphal; S. Fischmann; V. Auwärter, *Drug Testing and Analysis*, **2019**, 11, 1377-1386. <https://doi.org/10.1002/dta.2666>

Comprehensive investigation on synthetic cannabinoids: Metabolic behavior and potency testing, using 5F-APP-PICA and AMB-FUBINACA as model compounds, D. Fabregat-Safont; M. Mardal; C. Noble; A. Canaert; C.P. Stove; J.V. Sancho; K. Linnet; F. Hernández; M. Ibáñez, *Drug Testing and Analysis*, **2019**, 11, 1358-1368. <https://doi.org/10.1002/dta.2659>

4-Fluoromethylphenidate: Fatal Intoxication Involving a Previously Unreported Novel Psychoactive Substance in the USA, E.N. Shoff; J.H. Kahl; G.W. Hime; M. Coburn; D.M. Boland, *Journal of Analytical Toxicology*, **2019**, 43, 666-672. <https://doi.org/10.1093/jat/bkz061>

Pharmacokinetic properties of 4-fluoroamphetamine in serum and oral fluid after oral ingestion, S.W. Toennes; D. Schneider; W. Pogoda; A. Paulke; C. Wunder; E.L. Theunissen; K.P.C. Kuypers; E. de Sousa Fernandes Perna; J.G. Ramaekers, *Drug Testing and Analysis*, **2019**, 11, 1028-1034. <https://doi.org/10.1002/dta.2595>

A fatal chemsex case involving γ -butyrolactone and 4-methylethcathinone, M. Pellegrini; G. Bolino; M.R. Vari; R. Giorgetti; S. Pichini; F.P. Busardò, *Drug Testing and Analysis*, **2019**, 11, 1465-1470. <https://doi.org/10.1002/dta.2677>

Using Papaverine and Its Metabolites, 6-Desmethyl Papaverine and 4',6-Didesmethyl Papaverine as Biomarkers to Improve the Detection Time of Heroin Use, C.E. Wolf; K.L. Pierce; B.L. Goldfine; C.R. Nanco; J.L. Poklis; W.J. Korzun, *Journal of Analytical Toxicology*, **2019**, 43, 600-606. <https://doi.org/10.1093/jat/bkz069>

Profiling of morphine and codeine in urine after the ingestion of curry containing poppy seed as an evidence for opiates defense in Malaysia, C.Y. Gan; Z. Zainuddin; H. Muhamad Noh; R. Rahmat; F. Mohd Akira; N.H. Mahad; N.F. Mohd Fazil; R. Nasir; M. Isahak; H. Abu Samad, *Forensic Science International*, **2019**, 302, 109865. <https://doi.org/10.1016/j.forsciint.2019.06.023>

Urine is superior to oral fluid for detecting buprenorphine compliance in patients undergoing treatment for opioid addiction, J.R. Ransohoff; A.K. Petrides; G.J. Piscitello; J.G. Flood; S.E.F. Melanson, *Drug and Alcohol Dependence*, **2019**, 203, 8-12. <https://doi.org/10.1016/j.drugalcdep.2019.06.015>

Identification of phenobarbital and other barbiturates in forensic drug screening using positive electrospray ionization liquid chromatography–high resolution mass spectrometry, L.J. Høj; C.B. Møllerup; B.S. Rasmussen; S.S. Johansen; K. Linnet; R.W. Dalsgaard, *Drug Testing and Analysis*, **2019**, 11, 1258-1263. <https://doi.org/10.1002/dta.2603>

Detection of cocaine and its metabolites in whole blood and plasma following a single dose, controlled administration of intranasal cocaine, E.L. Menzies; J.R.H. Archer; P.I. Dargan; M.C. Parkin; T. Yamamoto; D.M. Wood; R.A. Braithwaite; S.P. Elliott; A.T. Kicman, *Drug Testing and Analysis*, **2019**, 11, 1419-1430. <https://doi.org/10.1002/dta.2657>

Profiling cocaine residues and pyrolytic products in wastewater by mixed-mode liquid chromatography–tandem mass spectrometry, I. Gonyález-Mariño; A. Estévez-Danta; R. Rodil; K.M. Da Silva; F.F. Sodrè; R. Cela; J.B. Quintana, *Drug Testing and Analysis*, **2019**, 11, 1018-1027. <https://doi.org/10.1002/dta.2590>

Analysis of cannabinoids in urine samples of short-term and long-term consumers of hemp seed products, S. Baeck; B. Kim; B. Cho; E. Kim, *Forensic Science International*, **2019**, 305, 109997. <https://doi.org/10.1016/j.forsciint.2019.109997>

Oral Fluid and Drug Impairment: Pairing Toxicology with Drug Recognition Expert Observations, M.T. Truver; K.B. Palmquist; M.J. Swortwood, *Journal of Analytical Toxicology*, **2019**, 43, 637-643. <https://doi.org/10.1093/jat/bkz075>

LC-MS-MS vs ELISA: Validation of a Comprehensive Urine Toxicology Screen by LC-MS-MS and a Comparison of 100 Forensic Specimens, K.W. Kahl; J.Z. Seither; L.J. Reidy, *Journal of Analytical Toxicology*, **2019**, 43, 734–745. <https://doi.org/10.1093/jat/bkz066>