

Selected Articles on the Analysis of Drugs of Abuse in Seized Materials

(July-Dec 2018)

Prediction of designer drugs: Synthesis and spectroscopic analysis of synthetic cathinone analogs that may appear on the Swedish drug market, Carlsson, A.; Sandgren, V.; Svensson, S.; Konradsson, P.; Dunne, S.; Josefsson, M.; Dahlen, J. *Drug Test Anal* **2018**, *10*, 1076-1098.

<http://www.ncbi.nlm.nih.gov/pubmed/29426062>

Discrimination of synthetic cathinones by GC-MS and GC-MS/MS using cold electron ionization, Levitas, M. P.; Andrews, E.; Lurie, I.; Marginean, I. *Forensic Sci Int* **2018**, *288*, 107-114.

<http://www.ncbi.nlm.nih.gov/pubmed/29738992>

Proactive response to tackle the threat of emerging drugs: Synthesis and toxicity evaluation of new cathinones, Gaspar, H.; Bronze, S.; Oliveira, C.; Victor, B. L.; Machuqueiro, M.; Pacheco, R.; Caldeira, M. J.; Santos, S. *Forensic Sci Int* **2018**, *290*, 146-156.

<http://www.ncbi.nlm.nih.gov/pubmed/30036736>

Identification and characterization of an indazole-3-carboxamide class synthetic cannabinoid: 2-[1-(cyclohexylmethyl)-1H-indazole-3-carboxamido]-3,3-dimethylbutanoic acid (DMBA-CHMINACA), Lee, J. H.; Jung, A.; Park, H. N.; Lee, C.; Mandava, S.; Lim, S. J.; Lim, B. B.; Park, S. K.; Lee, J.; Kang, H.

Forensic Sci Int **2018**, *291*, 167-174. <http://www.ncbi.nlm.nih.gov/pubmed/30216842>

The chemistry and pharmacology of synthetic cannabinoid SDB-006 and its regioisomeric fluorinated and methoxylated analogs, Banister, S. D.; Olson, A.; Winchester, M.; Stuart, J.; Edington, A. R.; Kevin, R. C.; Longworth, M.; Herrera, M.; Connor, M.; McGregor, I. S.; Gerona, R. R.; Kassiou, M. *Drug Test Anal* **2018**, *10*, 1099-1109. <http://www.ncbi.nlm.nih.gov/pubmed/29350472>

Identification and characterization of 4-chloromethamphetamine (4-CMA) in seized ecstasy - a risk to public health, Blanckaert, P.; Vanquekelberghe, S.; Coopman, V.; Risseeuw, M. D. P.; Van Calenbergh, S.; Cordonnier, J. *Forensic Sci Int* **2018**, *288*, 173-180.

<http://www.ncbi.nlm.nih.gov/pubmed/29753935>

Cocaine and adulterants analysis in seized drug samples by infrared spectroscopy and MCR-ALS, da Silva, A. F.; Groberio, T. S.; Zacca, J. J.; Maldaner, A. O.; Braga, J. W. B. *Forensic Sci Int* **2018**, *290*, 169-177. <http://www.ncbi.nlm.nih.gov/pubmed/30053736>

Investigation by direct-infusion ESI-MS and GC-MS of an alleged Leuckart route-specific impurity of methamphetamine, McBride, E. M.; Verbeck, G. F. *Forensic Sci Int* **2018**, *288*, 278-282.

<http://www.ncbi.nlm.nih.gov/pubmed/29787972>

Stability of amphetamine impurity profiles during 12 months of storage, Stride Nielsen, L.; Villesen, P.; Lindholst, C. *Forensic Sci Int* **2018**, *290*, 129-136.

<http://www.ncbi.nlm.nih.gov/pubmed/30032037>

Simultaneous detection and quantitation of organic impurities in methamphetamine by ultra-high-performance liquid chromatography-tandem mass spectrometry, a complementary technique for methamphetamine profiling, Li, L.; Brown, J. L.; Toske, S. G. *Drug Test Anal* **2018**, *10*, 1209-1219.

<http://www.ncbi.nlm.nih.gov/pubmed/29633543>

Characterisation of aqueous waste produced during the clandestine production of amphetamine following the Leuckart route utilising solid-phase extraction gas chromatography-mass spectrometry and capillary electrophoresis with contactless conductivity detection, Hauser, F. M.; Hulshof, J. W.; Rossler, T.; Zimmermann, R.; Putz, M. *Drug Test Anal* **2018**, *10*, 1368-1382.

<http://www.ncbi.nlm.nih.gov/pubmed/29669395>

An approach to shortening the timeframe between the emergence of new compounds on the drugs market and the availability of reference standards: The microscale syntheses of nitrazolam and clonazolam for use as reference materials, utilizing polymer-supported reagents, Dowling, G.; Kavanagh, P. V.; Eckhardt, H. G.; Twamley, B.; Hessman, G.; McLaughlin, G.; O'Brien, J.; Brandt, S. D. *Drug Test Anal* **2018**, *10*, 1198-1208. <http://www.ncbi.nlm.nih.gov/pubmed/29542872>

Selected Articles on the Analysis of Drugs of Abuse in Biological Specimen

(July-Dec 2018)

Detectability of fentanyl and designer fentanyls in urine by 3 commercial fentanyl immunoassays, Helander, A.; Stojanovic, K.; Villen, T.; Beck, O. *Drug Test Anal* **2018**, *10*, 1297-1304.

<http://www.ncbi.nlm.nih.gov/pubmed/29529707>

Analysis of fentanyl analogs and novel synthetic opioids in blood, serum/plasma, and urine in forensic casework, Moody, M. T.; Diaz, S.; Shah, P.; Papsun, D.; Logan, B. K. *Drug Test Anal* **2018**, *10*, 1358-1367. <http://www.ncbi.nlm.nih.gov/pubmed/29633785>

Postmortem analysis of three methoxyacetylfentanyl-related deaths in Denmark and in vitro metabolite profiling in pooled human hepatocytes, Mardal, M.; Johansen, S. S.; Davidsen, A. B.; Telving, R.; Jornil, J. R.; Dalsgaard, P. W.; Hasselstrom, J. B.; Oiestad, A. M.; Linnet, K.; Andreasen, M. F. *Forensic Sci Int* **2018**, *290*, 310-317. <http://www.ncbi.nlm.nih.gov/pubmed/30107329>

Quantitative Analysis of Fentanyl and Six Fentanyl Analogs in Postmortem Specimens by UHPLC-MS-MS, Kahl, J. H.; Gonyea, J.; Humphrey, S. M.; Hime, G. W.; Boland, D. M. *J Anal Toxicol* **2018**, *42*, 570-580. <http://www.ncbi.nlm.nih.gov/pubmed/30371841>

Carfentanil in Impaired Driving Cases and the Importance of Drug Seizure Data, Tiscione, N. B.; Alford, I. *J Anal Toxicol* **2018**, *42*, 476-484. <http://www.ncbi.nlm.nih.gov/pubmed/29659874>

Mixed intoxication by the synthetic opioid U-47700 and the benzodiazepine flubromazepam with lethal outcome: Pharmacokinetic data, Koch, K.; Auwarter, V.; Hermanns-Clausen, M.; Wilde, M.; Neukamm, M. A. *Drug Test Anal* **2018**, *10*, 1336-1341.

<http://www.ncbi.nlm.nih.gov/pubmed/29637722>

Metabolism study for CUMYL-4CN-BINACA in human hepatocytes and authentic urine specimens: Free cyanide is formed during the main metabolic pathway, Astrand, A.; Vikingsson, S.; Lindstedt, D.; Thelander, G.; Green, H.; Kronstrand, R.; Wohlfarth, A. *Drug Test Anal* **2018**, *10*, 1270-1279.

<http://www.ncbi.nlm.nih.gov/pubmed/29577658>

Phase I metabolism of the carbazole-derived synthetic cannabinoids EG-018, EG-2201, and MDMB-CHMCZCA and detection in human urine samples, Mogler, L.; Franz, F.; Wilde, M.; Huppertz, L. M.; Halter, S.; Angerer, V.; Moosmann, B.; Auwarter, V. *Drug Test Anal* **2018**, *10*, 1417-1429.

<http://www.ncbi.nlm.nih.gov/pubmed/29726116>

A fatal blood concentration of 5-APB, Krpo, M.; Luytkis, H. C.; Haneborg, A. M.; Hoiseth, G. *Forensic Sci Int* **2018**, *291*, e1-e3. <http://www.ncbi.nlm.nih.gov/pubmed/30228015>

Screening of Novel Psychoactive Substances in Postmortem Matrices by Liquid Chromatography-Tandem Mass Spectrometry (LC-MS-MS), Fagiola, M.; Hahn, T.; Avella, J. *J Anal Toxicol* **2018**, *42*, 562-569. <http://www.ncbi.nlm.nih.gov/pubmed/30371846>

Development of a Quantitative LC-MS-MS Assay for Codeine, Morphine, 6-Acetylmorphine, Hydrocodone, Hydromorphone, Oxycodone and Oxymorphone in Neat Oral Fluid, Grabenauer, M.; Moore, K. N.; Bynum, N. D.; White, R. M.; Mitchell, J. M.; Hayes, E. D.; Flegel, R. *J Anal Toxicol* **2018**, *42*, 392-399. <http://www.ncbi.nlm.nih.gov/pubmed/29554298>

Determination of cocaine, metabolites and a crack cocaine biomarker in whole blood by liquid-liquid extraction and UHPLC-MS/MS, Takitane, J.; Leyton, V.; Andreuccetti, G.; Gjerde, H.; Vindenes, V.; Berg, T. *Forensic Sci Int* **2018**, *289*, 165-174. <http://www.ncbi.nlm.nih.gov/pubmed/29885489>

Rapid Separation and Quantitation of Cocaine and its Metabolites in Human Serum by Differential Mobility Spectrometry-tandem Mass Spectrometry (DMS-MS-MS), Dempsey, S. K.; Moeller, F. G.; Poklis, J. L. *J Anal Toxicol* **2018**, *42*, 518-524. <http://www.ncbi.nlm.nih.gov/pubmed/30371848>

Chromatographic separation of R/S-enantiomers of amphetamine and methamphetamine: Pathways of methamphetamine synthesis and detection in blood samples by qualitative enantioselective LC-MS/MS analysis, Maas, A.; Losacker, M.; Hess, C. *Forensic Sci Int* **2018**, *291*, 138-143. <http://www.ncbi.nlm.nih.gov/pubmed/30199817>

Characterization of Flunitrazolam, a New Designer Benzodiazepine, in Oral Fluid After a Controlled Single Administration, Ameline, A.; Richeval, C.; Gaulier, J. M.; Raul, J. S.; Kintz, P. *J Anal Toxicol* **2018**, *42*, e58-e60. <http://www.ncbi.nlm.nih.gov/pubmed/29462316>

Ionic Liquid-Based Liquid-Liquid Microextraction for Benzodiazepine Analysis in Postmortem Blood Samples, De Boeck, M.; Dehaen, W.; Tytgat, J.; Cuypers, E. *J Forensic Sci* **2018**, *63*, 1875-1879. <http://www.ncbi.nlm.nih.gov/pubmed/29573426>