


AIDS cases* according to gender and age in Iran until 21 March 2006

Age	Male		Female		Total	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
0-4	5	0.8	1	1.6	6	0.8
5-14	12	1.8	2	3.2	14	2.0
15-24	40	6.1	4	6.5	44	6.2
25-34	237	36.4	20	32.3	257	36.0
35-44	228	35.0	20	32.3	248	34.8
45-54	103	15.8	11	17.7	114	16.0
55-64	21	3.2	4	6.5	25	3.5
Above 65	5	0.8	0	0.0	5	0.7
Total	651	100	62	100	713	100
Unidentified	22* (3.3%)		1 (1.6%)		23 (3.1%)	
Total	673		63		736	




Note: Only AIDS cases that have been obtained through Flowcitometric method have not been considered in this calculation.

* All cases, including dead and alive, that have entered the AIDS phase.

AIDS cases* according to gender and method of transmission in Iran until 21 March 2006

Gender	Injection drug use		Sexual intercourse		Blood and blood products		Mother to child		Unidentified		Total	
	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage	Quantity	Percentage
Male	387	99.7	109	72.2	116	94.3	10	0	51	82.3	673	91.4
Female	1	0.3	42	27.8	7	5.7	2	0	11	17.7	63	8.6
Total	388	100	151	100	123	100	12	0	62	100	736	100



Reported AIDS cases divided by year until 21 March 2006

